

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13627	705/7,8,9,10,11,1,400.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 10:49
L2	2229	703/2.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 10:49
L3	15820	1 or 2	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L4	5	(selecting with primary with goal) and (enterprise with planning with model)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 10:56
L5	1114	operational near3 variables	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:32
L6	3020269	objective function	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 10:57
L7	4	(weighting near3 factor) with (constraint near3 function)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 10:57
L8	126	weight\$3 with (constraint near3 function)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:32
L9	2	3 and 4 and 7	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:03

EAST Search History

L10	2	7 not 9	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:03
L11	3	4 not 7	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:04
L12	7	3 and 5 and 6 and 8	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:04
L13	2	12 not 4 not 7	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:29
L14	1713	702/182.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:29
L15	1338	700/90,103.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:29
L16	3039	14 or 15	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L17	15	5 and 6 and 8	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:31
L18	8	17 not 12 not 4 not 7	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:31
L19	1	16 and 18	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:30

EAST Search History

L20	126	6 and 8	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:32
L21	2	20 and 16	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:32
L22	5	weight\$3 with (constraint near3 function)	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L23	39	operational near3 variables	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:34
L24	536	14 or 15	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L25	291	1 or 2	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L26	827	24 or 25	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L27	0	22 and 23 and 26	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L28	0	22 and 23	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:33
L29	0	23 and 26	EPO; JPO; IBM_TDB	OR	OFF	2007/06/11 11:34